

**NORMIST®**

**FILTERS**



**FILTERS**

NORMIST®

FILTERS



### 10" Single filter unit

10" housing  
1 filter  
10 micron  
Max flow 25 liters per minute  
Max working pressure 6 Bar  
Weight 2.2 kg



0305005

### 10" Double filter unit

2x10" housings  
2 filters  
25 micron  
Max flow 25 liters per minute  
Max working pressure 6 Bar  
Weight 4.1 kg



0305006

FILTERS

0305001



### 10" Triple filter unit

3x10" housings  
3 filters  
5, 10, 25 microns  
Max flow 25 liters per minute  
Max working pressure 6 Bar  
Entry and output size is slip-lok 12 mm  
Weight 5.7 kg

0305002



### 20" Triple filter unit

3x20" housings  
3 filters  
5, 10, 25 microns  
Max flow 45 liters per minute  
Max working pressure 6 Bar  
Entry and output size is 20 mm  
Weight 7.8 kg

### 20" Jumbo double filter unit

1" Water inlet and outlet  
5 and 20 Microns  
Max working pressure 6 bar  
Max flow 70 liters per minute



0305000

### 20" Jumbo triple filter unit

1" Water inlet and outlet  
5-10 and 20 Microns  
Max working pressure 6 bar  
Max flow 70 liters per minute



0305001

0305106



20" Jumbo 3x2 filter unit

1 1/4" Water inlet and outlet  
5-10 and 20 Microns  
Max working pressure 6 bar  
Max flow 140 liters per minute

0305107



20" Jumbo 3x3 filter unit

1 1/4" Water inlet and outlet  
5-10 and 20 Microns  
Max working pressure 6 bar  
Max flow 210 liters per minute  
Total of 9 filter bowl

### High pressure in line filters




1/2" Slip-lok connection



3/8" Slip-lok connection



### High pressure in line mini filters




3/8" Slip-lok connection



3/16" Slip-lok connection

- A must for all misting installations
- No more clogged nozzles
- Cleanable 100 mesh SS filter element for 15 and 30 LPM
- 15 and 30 LPM filter types.
- All Stainless Steel
- Tested at 250 Bar.

## Dosing pump



Parfuming the air is also possible by addition of our dosing pump kit





[www.normist-tr.com](http://www.normist-tr.com)